








CIRRUS

ESCUTCHEON MOUNT



MOUNTING SEAT & ESCUTCHEON COVER
Dimensions in mm



MOUNTING HOLE DETAILS
Dimensions in mm

DESCRIPTION

This front mounted light features a flexible stem to allow it to be positioned as required. It uses 1.2 watts of energy and requires a 12v DC power supply.

Tel 44 (0)1993 868866 Fax44(0)1993 868894

contact@beadlight.com www.beadlight.com

European Community Registered Design No. 001850777 – 0001




Beadlight (Patent GB2392488) (GB2418011) US Patent 7,220,025, US Patent 7,753,563B2

Corresponding foreign patents & patents pending.

Drawings and specifications subject to change without notice. Measurements are for illustrative purposes only.



CIRRUS WALL MOUNT



DESCRIPTION

This wall mounted and mains powered lamp has a flexible stem that allows it to be positioned as required. It uses 1.2 watts of energy and can run on 110 to 240v AC.

Tel 44 (0)1993 868866 Fax 44(0)1993 868894

contact@beadlight.com www.beadlight.com

European Community Registered Design No. 001850777 – 0001

Beadlight (Patent GB2392488) (GB2418011) US Patent 7,220,025, US Patent 7,753,563B2





Corresponding foreign patents & patents pending.

Drawings and specifications subject to change without notice. Measurements are for illustrative purposes only.



CIRRUS

OVER THE BEDHEAD



DESCRIPTION

The Cirrus OTB is a light designed to be mounted behind a bedhead or panel. It contains 15 LEDs that use 1.2 watts of energy and requires a 12volt DC supply.

Tel 44 (0)1993 868866 Fax44(0)1993 868894

contact@beadlight.com www.beadlight.com

European Community Registered Design No. 001850777 – 0001

Beadlight (Patent GB2392488) (GB2418011) US Patent 7,220,025, US Patent 7,753,563B2




Corresponding foreign patents & patents pending.

Drawings and specifications subject to change without notice. Measurements are for illustrative purposes only.



CIRRUS

THROUGH THE BEDHEAD



DESCRIPTION

This light is designed to be mounted through a bedhead and has a flexible stem to enable it to be positioned where required. It uses 1.2watts of energy and requires a 12volt DC power supply

Tel 44 (0)1993 868866 Fax44(0)1993 868894

contact@beadlight.com www.beadlight.com

European Community Registered Design No. 001850777 – 0001

Beadlight (Patent GB2392488) (GB2418011) US Patent 7,220,025, US Patent 7,753,563B2

Corresponding foreign patents & patents pending.

Drawings and specifications subject to change without notice. Measurements are for illustrative purposes only.

