

Clay Part References*

FL14WH FL14BK FL14RE FL14OG

FL14DG FL14CH FL14TE

Textures and colors



Clay

Choco(CH) / Red(RE) / Terra(TE) / White(WH) / Black(BK)
/ DarkGrey(DG) / OliveGreen(OG)

Electric Parts

● HG0101 Cable color: Textil White.

● HG0102 Cable color: Textil Black.

***EXAMPLE:**

FL14WH/HG0101

Flame14. ceramic part in white. Electric part in white.

COMPONENTS AND MATERIALS

Clay shade

Electric part: Stick 30mm and ledboard LD08DW

LIGHT SOURCE

220–240VAC/50–60Hz

Driver: 8W - 1000mA 11–18V, triac dimmable

H03VV-F 2X0.75cm with textile 300cm

3000K / CRI>80 / 8W

800lm

IP44




Energy Class A+

Available on request for US and Japan voltages.



PACKAGING

Box 01.30X30X30cm / 1,8Kg



Clay Part References*

FX14WH FX14BK FX14RE FX14OG
FX14DG FX14CH FX14TE

Textures and colors



Clay

Choco(CH) / Red(RE) / Terra(TE) / White(WH) / Black(BK)
/ DarkGrey(DG) / OliveGreen(OG)

Electric Parts

- HG0201 Cable color: Textil White.
- HG0202 Cable color: Textil Black.

*EXAMPLE:

FX14WH/HG0201

Flame14. ceramic part in white. Electric part in white.

COMPONENTS AND MATERIALS

Clay shade

Electric part: Stick 190mm and ledboard LD15DW

LIGHT SOURCE

220–240VAC/50–60Hz

Driver: 15W - 1000mA 11–18V, triac dimmable

H03VV-F 2X0.75cm with textile and inner D1.0 steel wire
300cm

3000K / CRI>80 / 15W

1500lm

IP44


Energy Class A+

Available on request for US and Japan voltages.



PACKAGING

Box 01.50×50×50cm / 10Kg



Clay Part References*

- FL21WH
- FL21BK
- FL21RE
- FL21OG
- FL21DG
- FL21CH
- FL21TE

Textures and colors



Clay

Choco(CH) / Red(RE) / Terra(TE) / White(WH) / Black(BK)
/ DarkGrey(DG) / OliveGreen(OG)

Electric Parts

- HG0101 Cable color: Textil White.
- HG0102 Cable color: Textil Black.

*EXAMPLE:

FL21WH/HG0101

Flame21. ceramic part in white. Electric part in white.

COMPONENTS AND MATERIALS

Clay shade

Electric part: Stick 60mm and ledboard LD08DW

LIGHT SOURCE

220–240VAC/50–60Hz

Driver: 8W - 1000mA 11–18V, triac dimmable

H03VV-F 2X0.75cm with textile 300cm

3000K / CRI>80 / 8W

800lm

IP44




Energy Class A+

Available on request for US and Japan voltages.



PACKAGING

Box 01.30X30X30cm / 1,8Kg



Clay Part References*

FX21WH FX21BK FX21RE FX21OG

FX21DG FX21CH FX21TE

Textures and colors



Clay

Choco(CH) / Red(RE) / Terra(TE) / White(WH) / Black(BK)
/ DarkGrey(DG) / OliveGreen(OG)

Electric Parts

● HG0201 Cable color: Textil White.

● HG0202 Cable color: Textil Black.

*EXAMPLE:

FX21WH/HG0201

Flame21. ceramic part in white. Electric part in white.

COMPONENTS AND MATERIALS

Clay shade

Electric part: Stick 135mm and ledboard LD15DW

LIGHT SOURCE

220–240VAC/50–60Hz

Driver: 15W - 1000mA 11–18V, triac dimmable

H03VV-F 2X0.75cm with textile and inner D1.0 steel wire
300cm

3000K / CRI>80 / 15W

1500lm

IP44


Energy Class A+

Available on request for US and Japan voltages.



PACKAGING


Box 01.50×50×50cm / 10Kg



Clay Part References*

FL28WH FL28BK FL28RE FL28OG
FL28DG FL28CH FL28TE

Textures and colors



Clay

Choco(CH) / Red(RE) / Terra(TE) / White(WH) / Black(BK)
/ DarkGrey(DG) / OliveGreen(OG)

Electric Parts

- HG0101 Cable color: Textil White.
- HG0102 Cable color: Textil Black.

**EXAMPLE:*

FL28WH/HG0101

Flame28. ceramic part in white. Electric part in white.

COMPONENTS AND MATERIALS

Clay shade
Electric part: Stick 60mm and ledboard LD08UP

LIGHT SOURCE


220–240VAC/50–60Hz
Driver: 8W - 1000mA 11–18V, triac dimmable
H03VV-F 2X0.75cm with textile 300cm
3000K / CRI>80 / 8W
800lm
IP44
Energy Class A+

Available on request for US and Japan voltages.



PACKAGING

Box 01.30X30X30cm / 1,8Kg



Clay Part References*

FX28WH FX28BK FX28RE FX28OG

FX28DG FX28CH FX28TE

Textures and colors



Clay

Choco(CH) / Red(RE) / Terra(TE) / White(WH) / Black(BK)
/ DarkGrey(DG) / OliveGreen(OG)

Electric Parts

● HG0201 Cable color: Textil White.

● HG0202 Cable color: Textil Black.

*EXAMPLE:

FX28WH/HG0201

Flame28. ceramic part in white. Electric part in white.

COMPONENTS AND MATERIALS

Clay shade

Electric part: Stick 135mm and ledboard LD15UP

LIGHT SOURCE

220–240VAC/50–60Hz

Driver: 15W - 1000mA 11–18V, triac dimmable

H03VV-F 2X0.75cm with textile and inner D1.0 steel wire
300cm

3000K / CRI>80 / 15W

1500lm

IP44




Energy Class A+

Available on request for US and Japan voltages.



PACKAGING

Box 01.70×70×50cm / 10Kg



Clay Part References*

FL40WH FL40BK FL40RE FL40OG

FL40DG FL40CH FL40TE

Textures and colors



Clay

Choco(CH) / Red(RE) / Terra(TE) / White(WH) / Black(BK)
/ DarkGrey(DG) / OliveGreen(OG)

Electric Parts

● HG0201 Cable color: Textil White.

● HG0202 Cable color: Textil Black.

*EXAMPLE:

FL40WH/HG0201

Flame40. ceramic part in white. Electric part in white.

COMPONENTS AND MATERIALS

Clay shade

Electric part: Stick 60mm and ledboard LD15UP

LIGHT SOURCE

220–240VAC/50–60Hz

Driver: 15W - 1000mA 11–18V, triac dimmable

H03VV-F 2X0.75cm with textile and inner D1.0 steel wire
300cm

3000K / CRI>80 / 15W

1500lm

IP44

Energy Class A+

Available on request for US and Japan voltages.



PACKAGING

Box 01.50×50×50cm / 6Kg