Material Guide

TEXTILES

normann
COPENHAGEN



YOREDALE, HARDRAW UDA04

We have carefully curated our selection of textiles from some of the best suppliers on the market who operate to the highest environmental standards.


CAMIRA
Oceanic
Aquarius
Synergy
Main Line Flax
Yoredale

KVADRAT
Technicolour
Remix
Canvas
Re-Wool
Steelcut Trio
Divina Melange
Fiord
Hallingdal
Zero
Vidar
Moss
Serpentine
Baru
Elle


JAB
City Velvet

OCEANIC


A strikingly contemporary fabric with an intricate twill weave. Oceanic is made entirely from recycled plastic removed from the sea and shores.




Manufacturer	Camira
Price Group	1
Composition	100% post-consumer recycled polyester, including 50% SEAQUAL yarn
Environment	Certified to OEKO-TEX® Standard 100 Certified to Indoor Advantage™ Gold Made from 100% post-consumer recycled polyester Nonmetallic dyestuffs
Abrasion resistance	Heavy duty / 10 year guarantee Independently certified to ≥100.000 Martindale cycles
Weight	497g/m2 ±5% (696g/lin.m ±5%)
Fastness to rubbing	Wet: 4, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02) OOC16: 4/5 (ISO 105 - B02)
Flammability	EN 1021 - 1 (cigarette) EN 1021 - 2 (match) BS 7176 Low Hazard Note: Flammability performance is dependent on components used. Our certificates show what substrates have been used in our tests. For composite tests customers must ensure their complete furniture meets the necessary standards.




FLOTSAM OOC01




JETSAM OOC02




COAST OOC03




SEA OOC04




CORAL OOC05




ATOLL OOC06




BAY OOC08




NEPTUNE OOC11




AQUATIC OOC12




PADDLE OOC13



RIPTIDE OOC14




GULF OOC15




SEAFARER OOC16


CREST OOC17




CLAM OOC18




NORI OOC19




GANNET OOC20




SEASPRAY OOC21




COVE OOC22




SCALLOP OOC23




ROCKWEED OOC24




BUOY OOC25




TIDAL OOC26




STARFISH OOC27



SANDY OOC28



ROSITA OOC29



DUNE OOC30



AQUARIUS


A versatile crêpe weave fabric that is suitable for task chairs and lounge seating. Made from 100% natural wool, which is not only rapidly renewable but also fully biogegradable.

JA409




CHERRY JA419

Manufacturer	Camira
Price Group	1
Composition	100% virgin wool
Environment	Certified to Indoor Advantage™ "Gold" Rapidly renewable and compostable Nonmetallic dyestuffs
Abrasion resistance	Heavy duty / 10 year guarantee. Independently certified to ≥50.000 Martindale cycles
Weight	370 g/m2 ±5%
Fastness to rubbing	Wet: 4, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021-1&2 Cigarette & Match BS 7176 Low Hazard UNI 9175 Classe 1 IM BS 5852 Ignition Source 5 when FR treated BS 7176 Medium Hazard when FR treated BS 5867-2 Type B Curtains & Drapes when FR treated




HERON JA001




PITCH JA002



MARINER JA016




RHINO JA022




PORCELAIN JA024




JEZEBEL JA027




PADERBORN JA047



BISCAY JA059




VERMILLION JA062




AMBER JA068




SWART JA069




POISON JA084




MUSHROOM JA125




PURPLE JA157




SMURF JA159




TAMBOURINE JA183




MANTA JA194



COURGETTE JA201




CERES JA409




ARISTOTLE JA416




CHERRY JA419




ZIPPY JA426




CIRCUS JA428



VICO JA435



TOMBOLA JA442



CHOMSKY JA443




SPINOZA JA448

SYNERGY


A soft handle wool blend fabric featuring exquisite fiber dyed shades and sumptuous piece dyed solids.

LINEA, LDS37




INTERTWINE, LDS42

Manufacturer	Camira
Price Group	2
Composition	95% virgin wool, 5% polyamide
Environment	Certified to the EU Ecolabel Certified to Indoor Advantage™ ”Gold”
Abrasion resistance	Heavy duty / 10 year guarantee Independently certified to ≥100.000 Martindale cycles
Weight	400 g/m2 ±5%
Fastness to rubbing	Wet: 3, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021 - 1&2 Cigarette & Match BS 7176 Low Hazard NF D 60-013 ÖNORM B 3825 & A 3800-1 (58 kg/m3 CMHR Foam) UNI 9175 Classe 1 IM EN 13501-1 Adhered Class D, s1, d0 EN 13501-1 Un-adhered Class E, s2, d0 BS 5852 Ignition Source 5 when FR treated BS 7176 Medium Hazard when FR treated EN 13501-1 Adhered Class B, s1, d0 when FR treated EN 13501-1 Un-adhered Class D, s2, d0 when FR treated BS 5867-2: Type B Curtains & Drapes when FR treated



VENTURE LDS05



FATE LDS07



SERENDIPITY LDS08



PARTNER LDS16



MIX LDS17




LOOP LDS18



CHAIN LDS19



LEVEL LDS20



TEAM LDS21



FRAME LDS22



BRACKET LDS23




BOND LDS24




COMPOUND LDS25



BRIDGE LDS26




SEEK LDS27



LATERAL LDS28



HOOK LDS29



PAIR LDS31



AFFIX LDS32



TAG LDS33



WED LDS34




CHEMISTRY LDS35



MEDLEY LDS36



LINEA LDS37



UNITY LDS38



COLLECTIVE LDS39




CO-OPERATE LDS40




COUPLE LDS41



INTERTWINE LDS42



MARRY LDS43




RELATE LDS44



SUMMON LDS45



GATHER LDS46




INTEGRATE LDS47



INTERFUSE LDS48



APPEND LDS49



LEAGUE LDS50



KINDNESS LDS51




COMPLY LDS52




PACT LDS53




REGARD LDS54




SUPPORT LDS55




KINSHIP LDS56




ENGAGE LDS57



FAMILY LDS58




GROUP LDS59



ACCORD LDS60




ASSEMBLE LDS61



ALIKE LDS62




GUILD LDS63




ORDER LDS64




HUDDLE LDS65




FELLOWSHIP LDS66




WARMTH LDS67



COLLABORATE LDS68



SYNC LDS69




TOGETHER LDS70




OPEN LDS71



COMPOSE LDS72




WORK LDS73



AFFINITY LDS74



CONTRIBUTION LDS75



SUCCESS LDS76



COMBO LDS77



CORDIAL LDS78




AMIABLE LDS79




APT LDS80



SIMILAR LDS81



LIKENESS LDS82



CONGREGATE LDS83



MUTUAL LDS84




SHARE LDS85



GLOBAL LDS86



VALUES LDS87



PROCESS LDS88




Hyg Swivel Chair in Synergy, Tag LDS33



MAIN LINE FLAX


An inherently flame retardant fabric made from sustainable sources and woven into interesting solids and cross-colors inspired by the rich tones of rare jewels.

UPMINSTER, MLF20




HOLBORN, MLF05


Manufacturer	Camira
Price Group	2
Composition	70% virgin wool, 30% flax
Environment	Certified to the EU Ecolabel Certified to Indoor Advantage™ ”Gold” Rapidly renewable and compostable Made from wool and bast fiber
Martindale	Heavy duty / 10 year guarantee Independently certified to ≥50.000 Martindale cycles
Weight	437 g/m2 ±5%
Fastness to rubbing	Wet: 3, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021-1&2 Cigarette & Match BS 7176 Low Hazard BS 5852 Ignition Source 5 BS 7176 Medium Hazard NF D 60-013 ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam) UNI 9175 Classe 1 IM BS 5867-2: Type B Curtains & Drapes



ALDGATE MLF01



ARCHWAY MLF02



BARBICAN MLF03




HOLBORN MLF05




KILBURN MLF06




KENSINGTON MLF07



LAMBETH MLF08




MONUMENT MLF09



NEWBURY MLF10



MORDEN MLF12




LEYTON MLF13




PARSONS MLF14



STOCKWELL MLF15




TEMPLE MLF16



TOOTING MLF17



TUFNELL MLF18




VICTORIA MLF19



UPMINSTER MLF20



WATERLOO MLF21




WESTMINSTER MLF22



BANK MLF23



BAYSWATER MLF24



BETHNAL MLF25



CAMDEN MLF26



EDGWARE MLF28




FARRINGDON MLF29




GOLDHAWK MLF31



GREENFORD MLF32




PIMLICO MLF34



BROMPTON MLF35



TOWER MLF36




STANMORE MLF37



NORTHFIELDS MLF40



ALPERTON MLF43



BALHAM MLF44



BARKING MLF45



BLACKWALL MLF46



BRIXTON MLF47




CHIGWELL MLF48



CLAPHAM MLF49



EMBANKMENT MLF50



EPPING MLF51



GREENWICH MLF52



HAMPSTEAD MLF53



HARROW MLF54



HORNCHURCH MLF55



KENTISH MLF56



MOORGATE MLF57



PERIVALE MLF59




PINNER MLF60



REDBRIDGE MLF61




RICHMOND MLF62



SHADWELL MLF63



STRATFORD MLF64



WATFORD MLF65



WHITECHAPEL MLF66



WOODFORD MLF67

YOREDALE

A highly textured textile with undulations reflective of its Yorkshire roots, its fascinating bouclé style yarn features a contrasting black binder that brings depth to its saturated tones.

THORALBY, UDA06




GRASSINGTON, UDA27


Manufacturer	Camira
Price Group	3
Composition	95% wool, 3% polyester, 2% polyamide
Environment	Certified to Indoor Advantage™ ”Gold” Nonmetallic dyestuffs
Abrasion resistance	Heavy duty / 10 year guarantee. Independently certified to ≥50.000 Martindale cycles
Weight	700 g/m2 ±5%
Fastness to rubbing	Wet: 4, Dry: 4 (ISO 105 - X12)
Lightfastness	5 (ISO 105 - B02)
Flammability	EN 1021 - 1&2 Cigarette & Match BS 7176 Low Hazard ÖNORM B 3825 & A 3800-1 (58kg/m3 CMHR Foam) UNI 9175 Classe 1 IM BS 5852 Ignition Source 5 when FR treated BS 7176 Medium Hazard when FR treated




BUCKDEN UDA01




KIDSTONE UDA02



ASKRIGG UDA03




HARDRAW UDA04



SIMONSTONE UDA05



THORALBY UDA06




CARPERBY UDA07



GAYLE UDA08




THORNTON UDA09




CRAY UDA10




FOSSDALE UDA11




WOODALE UDA12




WALDEN UDA13



SEDBUSK UDA14




LITTON UDA15




NIDD UDA16




RIBBLE UDA17




WHARFE UDA18




RIPLEY UDA19




DARLEY UDA20




DACRE UDA21




BURNSALL UDA22




CRACOE UDA23



WODEN UDA24




LEYBURN UDA25



GRASSINGTON UDA27




BRONTE UDA28




GORDALE UDA29




HORTON UDA30




ILKLEY UDA31



INGLETON UDA32



KETTLEWELL UDA33




MALHAM UDA34



MARSDEN UDA35



SETTLE UDA36



SKIPTON UDA37



SWALEDALE UDA38

TECHNICOLOUR


Technicolour is a tactile melange upholstery by Peter Saville crafted using a specially developed colour system.


The simple yet sophisticated colour system is inspired by how colours are adjusted digitally. It brings together the five bold hues of livestock marking spray colours – orange, blue, green, yellow and magenta – with five neutrals: black, brown, a light and dark beige, and undyed wool. To create Technicolour woollen tops are initially dyed and combined in precise colour percentages before being spun into yarns.








Category	Kvadrat upholstery
Price Group	1
Pattern	Solid
Composition	100% new English wool, worsted
Width	Approx. 140 cm (Approx. 55”)
Weight	430 g/lin. m (13.87 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0”/0”)
Durability	80,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	7 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 ● BS 5867 part 2 type B with treatment ● SN 198 898 5.3 with treatment ● ASTM E84 Class A Unadhered ● BS 5852 crib 5 with treatment ● UNI 9175 1IM ● IMO FTP Code 2010 Part 8 ● ASTM E84 Class A Adhered ● BS 5852 part 1 ● BS 7176 Low Hazard ● EN 1021-1/2 ● NF D 60 013 ● US Cal. Bull. 117-2013
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	301 Pa s/m
Seam Slippage	10 mm (warp), 8.1 mm (weft)



TECHNICOLOUR 0110


TECHNICOLOUR 0120



TECHNICOLOUR 0140



TECHNICOLOUR 0150


TECHNICOLOUR 0160



TECHNICOLOUR 0190



TECHNICOLOUR 0200



TECHNICOLOUR 0210



TECHNICOLOUR 0220



TECHNICOLOUR 0230



TECHNICOLOUR 0250



TECHNICOLOUR 0260



TECHNICOLOUR 0340



TECHNICOLOUR 0360



TECHNICOLOUR 0370



TECHNICOLOUR 0520



TECHNICOLOUR 0550



TECHNICOLOUR 0620



TECHNICOLOUR 0650



TECHNICOLOUR 0690


TECHNICOLOUR 0810



TECHNICOLOUR 0820



TECHNICOLOUR 0830



TECHNICOLOUR 0860


TECHNICOLOUR 0870


TECHNICOLOUR 0890


TECHNICOLOUR 0930


TECHNICOLOUR 0940


TECHNICOLOUR 0970


TECHNICOLOUR 0990

REMIX


Remix 3 is an elegant upholstery textile distinguished by exceptional depth of colour, designed by Giulio Ridolfo.


Remix 3 looks unicoloured from a distance but reveals subtle details and colour contrasts when viewed close-up. The textile features a tight, minimalistic weave, and derives its lively colour play from a combination of two different mélange yarns, which each combine up to three hues.







Category	Kvadrat upholstery
Price Group	2
Pattern	Solid
Composition	90% new wool worsted, 10% nylon
Width	Approx. 140 cm (Approx. 55”)
Weight	420 g/lin. m (13.55 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0”/0”)
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	6
Fire Tests	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 7 with treatment • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • AS/NZS 3837 class 2 • ÖNORM B1/Q1 • ASTM E84 Class A Unadhered • ASTM E84 Class A Adhered • GB 50222 B1 with treatment (Chinese)
Fastness to rubbing	4 (Dry) 4 (Wet)
Airflow	465 Pa s/m
Absorption	0.55/Class D (Absorption flat) 0.80/Class B (Absorption folded))
Seam Slippage	5 mm (warp), 3 mm (weft)



REMIX 0113



REMIX 0123



REMIX 0126



REMIX 0133


REMIX 0136



REMIX 0143


REMIX 0152


REMIX 0163


REMIX 0173


REMIX 0183


REMIX 0196


REMIX 0223


REMIX 0233


REMIX 0242



REMIX 0252


REMIX 0266



REMIX 0276


REMIX 0286


REMIX 0296


REMIX 0326


REMIX 0346



REMIX 0356


REMIX 0362


REMIX 0373


REMIX 0383



REMIX 0393


REMIX 0406


REMIX 0412


REMIX 0422



REMIX 0433




REMIX 0443




REMIX 0452




REMIX 0516




REMIX 0536




REMIX 0543




REMIX 0566




REMIX 0606




REMIX 0612




REMIX 0632




REMIX 0643




REMIX 0653




REMIX 0662



REMIX 0672



REMIX 0682



REMIX 0686



REMIX 0692



REMIX 0716



REMIX 0722



REMIX 0733



REMIX 0743



REMIX 0753



REMIX 0762




REMIX 0773



REMIX 0783



REMIX 0796




REMIX 0816




REMIX 0823



REMIX 0836



REMIX 0842



REMIX 0852




REMIX 0866



REMIX 0873



REMIX 0906




REMIX 0912



REMIX 0923



REMIX 0933



REMIX 0942




REMIX 0954




REMIX 0962



REMIX 0973



REMIX 0982



REMIX 0996




Hyg Barstools in Synergy, Affix LDS32 & Main Line Flax, Upminster MLF20

CANVAS


Canvas is a vibrant woollen upholstery textile created by Giulio Ridolfo.






Category	Kvadrat upholstery
Price Group	3
Pattern	Solid
Composition	90% new wool worsted, 10% nylon
Width	Approx. 140 cm (Approx. 55”)
Weight	480 g/lin. m (15.48 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0”/0”)
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	5-6
Fire Tests	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ÖNORM B1/ Q1 • ASTM E84 Class A Adhered • ASTM E84 Class A Unadhered
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	849 Pa s/m
Absorption	0.60/Class C (Absorption flat) 0.80/Class B (Absorption folded)
Seam Slippage	3.5 mm (warp), 2 mm (weft)


CANVAS 0114


CANVAS 0124



CANVAS 0134


CANVAS 0154


CANVAS 0174


CANVAS 0216



CANVAS 0224


CANVAS 0244


CANVAS 0254


CANVAS 0264


CANVAS 0356


CANVAS 0364


CANVAS 0374



CANVAS 0414



CANVAS 0424



CANVAS 0446



CANVAS 0454


CANVAS 0546


CANVAS 0556


CANVAS 0566



CANVAS 0576


CANVAS 0614



CANVAS 0644



CANVAS 0654



CANVAS 0666



CANVAS 0674


CANVAS 0684



CANVAS 0694


CANVAS 0716



CANVAS 0726



CANVAS 0734



CANVAS 0746



CANVAS 0754




CANVAS 0786



CANVAS 0794



CANVAS 0836



CANVAS 0854




CANVAS 0926



CANVAS 0936



CANVAS 0946



CANVAS 0954



CANVAS 0964



CANVAS 0974



CANVAS 0984



CANVAS 0996


RE-WOOL

Re-wool 2 is an upholstery textile designed by Margrethe Odgaard woven with 45% recycled wool.

The recycled woollen yarn used in the warp is spun from post-industrial fibre scraps collected from Kvadrat's own production of woollen textiles. Closing this loop within their own production ensures that the recycled wool is of the same high quality in every batch.





0447





0577


Category	Kvadrat upholstery
Price Group	3
Pattern	Solid
Composition	45% recycled wool 45% new wool, worsted 10% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	540 g/lin. m (17.42 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	6-7 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 ● SN 198 898 5.3 with treatment ● ASTM E84 Class A Unadhered ● BS 5852 crib 5 with treatment ● AS/NZS 1530.3 ● UNI 9175 1IM ● IMO FTP Code 2010 Part 8 ● ÖNORM B1/Q1 ● BS 5852 part 1 ● EN 1021-1/2 ● NF D 60 013 ● US Cal. Bull. 117-2013 ● EN 13501 B-s2, d0 with treatment
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	258 Pa s/m
Absorption	0.50/Class D (Absorption flat) 0.75/Class C (Absorption folded)
Seam Slippage	3.5 mm (warp), 5 mm (weft)



RE-WOOL 0108


RE-WOOL 0128



RE-WOOL 0147



RE-WOOL 0158



RE-WOOL 0198



RE-WOOL 0218



RE-WOOL 0347



RE-WOOL 0377



RE-WOOL 0397



RE-WOOL 0447



RE-WOOL 0558



RE-WOOL 0568



RE-WOOL 0577



RE-WOOL 0648



RE-WOOL 0657



RE-WOOL 0687



RE-WOOL 0718



RE-WOOL 0767



RE-WOOL 0787



RE-WOOL 0797


RE-WOOL 0858


RE-WOOL 0868


RE-WOOL 0967



RE-WOOL 0977


RE-WOOL 0987


STEELCUT TRIO


The three-dimensional surface of Steelcut Trio resembles small pyramids or steel points. Despite the complexity of the textile's innovative weave, it has a simple, precise expression. Steelcut Trio is yarn-dyed and made from 3 differently coloured yarns.








Category	Kvadrat upholstery
Price Group	4
Pattern	Solid
Composition	90% new wool worsted, 10% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	770 g/lin. m (24.84 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	6-7
Fire Tests	AS/NZS 1530.3 • BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ASTM E84 Class B Unadhered • ASTM E84 Class B Adhered • ÖNORM B1/Q1 • AS/NZS 3837 class 2 • GB 50222 B1 with treatment (Chinese)
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	910 Pa s/m
Absorption	0.70/Class C (Absorption flat) 0.95/Class A (Absorption folded)
Seam Slippage	3.5 mm (warp), 2 mm (weft)



STEELCUT TRIO 0105


STEELCUT TRIO 0113



STEELCUT TRIO 0124



STEELCUT TRIO 0133



STEELCUT TRIO 0153



STEELCUT TRIO 0176



STEELCUT TRIO 0195



STEELCUT TRIO 0205



STEELCUT TRIO 0213



STEELCUT TRIO 0226



STEELCUT TRIO 0236



STEELCUT TRIO 0246


STEELCUT TRIO 0253


STEELCUT TRIO 0266



STEELCUT TRIO 0276



STEELCUT TRIO 0283



STEELCUT TRIO 0336


STEELCUT TRIO 0376



STEELCUT TRIO 0383



STEELCUT TRIO 0416



STEELCUT TRIO 0426



STEELCUT TRIO 0436



STEELCUT TRIO 0446



STEELCUT TRIO 0453



STEELCUT TRIO 0466



STEELCUT TRIO 0476


STEELCUT TRIO 0506



STEELCUT TRIO 0515


STEELCUT TRIO 0526



STEELCUT TRIO 0533




STEELCUT TRIO 0553




STEELCUT TRIO 0576




STEELCUT TRIO 0616



STEELCUT TRIO 0636



STEELCUT TRIO 0645




STEELCUT TRIO 0666



STEELCUT TRIO 0686



STEELCUT TRIO 0713



STEELCUT TRIO 0716



STEELCUT TRIO 0746




STEELCUT TRIO 0756




STEELCUT TRIO 0776



STEELCUT TRIO 0796




STEELCUT TRIO 0806




STEELCUT TRIO 0865




STEELCUT TRIO 0883




STEELCUT TRIO 0906



STEELCUT TRIO 0916




STEELCUT TRIO 0946



STEELCUT TRIO 0966



STEELCUT TRIO 0976



STEELCUT TRIO 0983




STEELCUT TRIO 0996


DIVINA MELANGE


Divina Melange 3 is a vibrant piece-dyed woollen upholstery textile reminiscent of felt. Cheerfully simple, it comes in a fresh, versatile palette by artist and designer Finn Sködt.



Category	Kvadrat upholstery
Price Group	5
Pattern	Solid
Composition	100% new wool
Width	Approx. 150 cm (Approx. 59”)
Weight	840 g/lin. m (27.09 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0”/0”)
Durability	45,000 Martindale
Pilling	3 (ISO 1-5)
Lightfastness	6-7
Fire Tests	AS/NZS 1530.3 ● BS 5852 Crib 5 ● BS 5852 part 1 ● BS 5867 part 2 type B ● IMO FTP Code 2010 Part 8 ● NF D 60 013 ● NFPA 260 ● SN 198 898 5.3 with treatment ● UNI 9175 1IM ● US Cal. Bull. 117-2013 ● EN 1021-1/2 ● EN 13501, C-s1, d0, glued ● Chinese GB 50222B1 with treatment ● ÖNORM B1/Q1 ● NFPA 701 with treatment ● ASTM E84 Class B Unadhered ● ASTM E84 Class A Adhered
Fastness to rubbing	5 (Dry) 3-4 (Wet)
Airflow	678 Pa s/m
Absorption	0.60/Class C (Absorption flat) 0.70/Class C (Absorption folded)
Seam Slippage	2 mm (warp), 2 mm (weft)


DIVINA MELANGE 0120


DIVINA MELANGE 0147


DIVINA MELANGE 0170


DIVINA MELANGE 0180


DIVINA MELANGE 0227



DIVINA MELANGE 0237


DIVINA MELANGE 0260



DIVINA MELANGE 0277



DIVINA MELANGE 0280



DIVINA MELANGE 0367


DIVINA MELANGE 0427


DIVINA MELANGE 0457


DIVINA MELANGE 0467


DIVINA MELANGE 0471



DIVINA MELANGE 0517


DIVINA MELANGE 0527


DIVINA MELANGE 0547



DIVINA MELANGE 0557


DIVINA MELANGE 0567


DIVINA MELANGE 0571



DIVINA MELANGE 0581


DIVINA MELANGE 0597


DIVINA MELANGE 0617


DIVINA MELANGE 0620


DIVINA MELANGE 0647


DIVINA MELANGE 0677


DIVINA MELANGE 0687


DIVINA MELANGE 0731


DIVINA MELANGE 0747


DIVINA MELANGE 0757



DIVINA MELANGE 0777




DIVINA MELANGE 0787



DIVINA MELANGE 0821




DIVINA MELANGE 0871




DIVINA MELANGE 0917



DIVINA MELANGE 0937



DIVINA MELANGE 0967




DIVINA MELANGE 0977



FIORD


The construction of Fiord combines a mélange yarn with a unicoloured yarn that creates pearl-like dots that play across the textile's surface. This sophisticated expression reflects a key source of inspiration behind the design: moonlight glittering like pearls on the rippling waters of a Norwegian fjord.

0571




0262


Category	Kvadrat upholstery
Price Group	5
Pattern	Solid
Composition	92% new wool worsted, 8% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	500 g/lin. m (16.13 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	60,000 Martindale
Pilling	4-5 (ISO 1-5)
Lightfastness	6
Fire Tests	BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • SN 198 898 5.3 with treatment • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ASTM E84 Class A Adhered • ASTM E84 Class A Unadhered • AS/NZS 3837 class 2 • GB 50222 B1 with treatment (Chinese) • ÖNORM B1/Q1
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Airflow	484 Pa s/m
Seam Slippage	4.5 mm (warp), 5 mm (weft)




FIORD 0101



FIORD 0121



FIORD 0151




FIORD 0171




FIORD 0191



FIORD 0201



FIORD 0251



FIORD 0262



FIORD 0271



FIORD 0322




FIORD 0351




FIORD 0371




FIORD 0391




FIORD 0422




FIORD 0442




FIORD 0451




FIORD 0521




FIORD 0551



FIORD 0562




FIORD 0571




FIORD 0581




FIORD 0591



FIORD 0642



FIORD 0662



FIORD 0751




FIORD 0771




FIORD 0782



FIORD 0791



FIORD 0821




FIORD 0862



FIORD 0951



FIORD 0961



FIORD 0971



FIORD 0981



FIORD 0991




HALLINGDAL

Kvadrat's first textile 'Hallingdal' has become the archetype of woollen textiles. The very durable upholstery fabric was originally designed in 1965 by Nanna Ditzel, and is now available in a version with an updated colour scale.

Hallingdal is made of wool and viscose, which complement each other well: the wool provides excellent durability and flexibility, whilst the viscose adds brilliance and depth to the colour. Both materials are dyed before they are spun, which highlights the rich texture of the fabric.


0227




0890


Category	Kvadrat upholstery
Price Group	5
Pattern	Solid
Composition	70% new wool, 30% viscose
Width	Approx. 130 cm (Approx. 51")
Weight	795 g/lin. m (25.64 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	100,000 Martindale
Pilling	3-4 (ISO 1-5)
Lightfastness	7
Fire Tests	AS/NZS 1530.3 • BS 5852 Crib 5 • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • ASTM E84 Class A Adhered • SN 198 898 5.3 with treatment • ÖNORM B1/Q1 • GB 50222 B1 with treatment (Chinese) • AS/NZS 3837 class 2 • ASTM E84 Class B Unadhered
Fastness to rubbing	4-5 (Dry) 3-4 (Wet)
Airflow	182 Pa s/m
Absorption	0.45/Class D (Absorption flat) 0.70/Class C (Absorption folded)
Seam Slippage	4.5 mm (warp), 4 mm (weft)



HALLINGDAL 0100



HALLINGDAL 0103



HALLINGDAL 0110



HALLINGDAL 0113



HALLINGDAL 0116



HALLINGDAL 0123



HALLINGDAL 0126


HALLINGDAL 0130


HALLINGDAL 0143



HALLINGDAL 0153


HALLINGDAL 0166


HALLINGDAL 0173



HALLINGDAL 0180



HALLINGDAL 0190


HALLINGDAL 0200



HALLINGDAL 0220


HALLINGDAL 0224


HALLINGDAL 0227


HALLINGDAL 0270



HALLINGDAL 0350



HALLINGDAL 0368



HALLINGDAL 0370



HALLINGDAL 0376



HALLINGDAL 0390


HALLINGDAL 0407


HALLINGDAL 0420



HALLINGDAL 0457



HALLINGDAL 0526


HALLINGDAL 0547


HALLINGDAL 0563



HALLINGDAL 0573


HALLINGDAL 0590


HALLINGDAL 0596



HALLINGDAL 0600


HALLINGDAL 0657


HALLINGDAL 0660


HALLINGDAL 0674


HALLINGDAL 0680


HALLINGDAL 0687


HALLINGDAL 0694



HALLINGDAL 0702


HALLINGDAL 0723


HALLINGDAL 0733


HALLINGDAL 0750


HALLINGDAL 0753



HALLINGDAL 0754


HALLINGDAL 0763



HALLINGDAL 0764


HALLINGDAL 0773


HALLINGDAL 0810


HALLINGDAL 0840


HALLINGDAL 0850



HALLINGDAL 0890


HALLINGDAL 0907


HALLINGDAL 0944


HALLINGDAL 0960


HALLINGDAL 0968


HALLINGDAL 0980



Swell Modular Sofa in Hallingdal 65, 0110

SAHCO ZERO

The influence of Parisian couture clothing can be seen in this elegant and irregular bouclé upholstery textile. The pearl effect yarn is used in both warp and weft giving a luxurious handle and a sophisticated appearance. The sixteen colourways range from tonal through to contrasting ‘salt and pepper’ combinations.



0011




0010


Category	Kvadrat upholstery
Price Group	6
Composition	65% cotton, 20% polyacrylic, 15% polyester
Width	140 cm (55”)
Weight	740 g/lin. m (23.87 oz/ly)
Repeat	0/0 cm (0”/0”)
Durability	70,000 Martindale
Pilling	5 (ISO 1-5)
Lightfastness	5-6 (ISO 1-8)
Fire Tests	BS 5852 crib 5 with treatment • EN 1021-1 • US Cal. 117-2013 with Cal. 117 compliant interliner • BS 5852 part 1 with treatment
Seam Slippage	2 mm (warp), 2 mm (weft)




SAHCO ZERO 0001




SAHCO ZERO 0002



SAHCO ZERO 0003




SAHCO ZERO 0004




SAHCO ZERO 0005



SAHCO ZERO 0006




SAHCO ZERO 0007




SAHCO ZERO 0008



SAHCO ZERO 0009



SAHCO ZERO 0010




SAHCO ZERO 0011




SAHCO ZERO 0012




SAHCO ZERO 0013



SAHCO ZERO 0014



SAHCO ZERO 0015




SAHCO ZERO 0016

VIDAR

Originally designed by Fanny Aronsen, Vidar has been re-coloured by Raf Simons, with shades ranging from moss green, dark aubergine, ruby red and midnight blue through to brick and earth tones, and easy neutrals.


Tightly woven, without the irregularities of the other boucle fabrics within this collection, Vidar has an inviting texture, which variously recalls blackberries, orange peel or the comforting close-knit texture of a favourite sweater.


0723




Category	Kvadrat/Raf Simons upholstery
Price Group	6
Pattern	Solid
Composition	94% new wool, 6% nylon
Width	Approx. 140 cm (Approx. 55”)
Weight	770 g/lin. m (24.84 oz/ly)
Repeat	Approx. 0/0 cm (Approx. 0”/0”)
Durability	100,000 Martindale
Pilling	4 (ISO 1-5)
Lightfastness	7
Fire Tests	BS 5852 crib 5 with treatment • BS 5852 part 1 • IMO FTP Code 2010 Part 8 • NF D 60 013 • NFPA 260 • UNI 9175 1IM • US Cal. Bull. 117-2013 • EN 1021-1/2 • AS/NZS 3837 class 2 • GB 50222 B1 with treatment (Chinese) • SN 198 898 5.3 with treatment • IMO FTP Code 2010 Part 7 with treatment
Fastness to rubbing	3-4 (Dry) 3 (Wet)
Airflow	367 Pa s/m
Absorption	0.55/Class D (Absorption flat)



VIDAR 0106


VIDAR 0123



VIDAR 0133


VIDAR 0143



VIDAR 0146


VIDAR 0152



VIDAR 0182


VIDAR 0222


VIDAR 0323


VIDAR 0333



VIDAR 0353


VIDAR 0363


VIDAR 0386


VIDAR 0443


VIDAR 0456



VIDAR 0472



VIDAR 0526



VIDAR 0542


VIDAR 0554


VIDAR 0556


VIDAR 0582


VIDAR 0622



VIDAR 0633



VIDAR 0653


VIDAR 0656


VIDAR 0676


VIDAR 0693


VIDAR 0723


VIDAR 0733


VIDAR 0743



VIDAR 0772




VIDAR 0786




VIDAR 0872




VIDAR 0913




VIDAR 0932



VIDAR 0943



VIDAR 0956



VIDAR 0972



VIDAR 1062



VIDAR 1511



VIDAR 1880



Hyg Swivel Chairs in Main Line Flax, Kensington MLF07 & Synergy, Serendipity LDS08


MOSS


The second design by Vincent van Duysen and Anna Vilhelmine Ebbesen is the distinctive upholstery fabric Moss. The mixture of twisted yarn and chenille gives the fabric surface a textured structure with an appearance of movement, and also creates a soft handle which adds a special dimension to the furniture it covers. The twenty-two colourways are either one- or two-tone combinations inspired by Vincent van Duysen's own home and range from cool cement and soft blue to oily green, curry yellow and the shades of natural wood.



Category	Kvadrat upholstery
Price Group	6
Pattern	Solid
Composition	52% cotton 22% viscose 14% polyacrylic 6% linen 3% polyester 3% nylon
Width	Approx. 140 cm (Approx. 55")
Weight	960 g/lin. m (30.96 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0"/0")
Durability	50,000 Martindale
Pilling	4-5 (ISO 1-5)
Lightfastness	6 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 • US Cal. Bull. 117-2013 with treatment • BS 5852 crib 5 with treatment • IMO FTP Code 2010 Part 8 • NFPA 260 with treatment • BS 5852 part 1 • EN 1021-1/2
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Seam slippage	4.5 mm (warp), 4.5 mm (weft)



SAHCO MOSS 0001



SAHCO MOSS 0002



SAHCO MOSS 0003



SAHCO MOSS 0004


SAHCO MOSS 0005


SAHCO MOSS 0006


SAHCO MOSS 0007


SAHCO MOSS 0009



SAHCO MOSS 0010


SAHCO MOSS 0011



SAHCO MOSS 0012


SAHCO MOSS 0013



SAHCO MOSS 0014



SAHCO MOSS 0015



SAHCO MOSS 0016


SAHCO MOSS 0017


SAHCO MOSS 0018


SAHCO MOSS 0019


SAHCO MOSS 0020


SAHCO MOSS 0021



SAHCO MOSS 0022

SERPENTINE

Serpentine is a voluminous woollen upholstery, designed by colour master Giulio Ridolfo, which reflects the material heritage of Kvadrat with a contemporary twist. Its construction combines classic craftsmanship with modern techniques to create dynamic colour interactions and a distinctive tactility.




0678




0438


Category	Kvadrat upholstery
Price Group	6
Pattern	Solid
Composition	98% new wool, worsted 2% nylon
Width	Approx. 140 cm (Approx. 55”)
Weight	850 g/lin. m (27.42 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0”/0”)
Durability	45,000 Martindale
Pilling	3-4 (ISO 1-5)
Lightfastness	7 (ISO 1-8)
Fire Tests	AS/NZS 3837 class 2 ● ASTM E84 Class B Unadhered ● SN 198 898 5.3 with treatment ● BS 5852 crib 5 with treatment ● UNI 9175 1IM ● ASTM E84 Class B Adhered ● ÖNORM B2/Q1 ● IMO FTP Code 2010 Part 8 ● NFPA 701 with treatment ● BS 5852 part 1 ● EN 1021-1/2 ● NF D 60 013 ● US Cal. Bull. 117-2013
Fastness to rubbing	4-5 (Dry) 4-5 (Wet)
Seam slippage	4.5 mm (warp), 3.5 mm (weft)




SERPENTINE 0118




SERPENTINE 0158




SERPENTINE 0198




SERPENTINE 0238




SERPENTINE 0358




SERPENTINE 0428




SERPENTINE 0438




SERPENTINE 0498




SERPENTINE 0678



SERPENTINE 0798



SERPENTINE 0928



SERPENTINE 0988


SAHCO BARU

An ultra-soft woven woollen bouclé, Baru feels like shorn fleece and has a comforting volume created by the elasticity of the wool fibre and the finishing processes. Yarn dyed with one colour in warp and another in weft, it has the benefits of a woollen textile but a softer feel. The texture of the bouclé coupled with a slight shine from the acrylic blend creates a playful effect as the colour catches the light.


0950




Category	Kvadrat upholstery
Price Group	6
Composition	87% new wool 10% polyester 3% nylon
Width	Approx. 140 cm (Approx. 55”)
Weight	770 g/lin. m (24.84 oz/ ly)
Repeat	Approx. 0/0 cm (Approx. 0”/0”)
Durability	65,000 Martindale
Pilling	5 (ISO 1-5)
Lightfastness	4-5 (ISO 1-8)
Fire Tests	BS 5852 crib 5 with treatment • IMO FTP Code 2010 Part 8 • BS 5852 part 1 • EN 1021-1/2 • US Cal. Bull. 117-2013
Fastness to rubbing	4 (Dry) 3-4 (Wet)
Seam Slippage	2 mm (warp), 7 mm (weft)




SAHCO BARU 0120



SAHCO BARU 0150



SAHCO BARU 0200




SAHCO BARU 0330




SAHCO BARU 0390




SAHCO BARU 0410



SAHCO BARU 0450




SAHCO BARU 0570




SAHCO BARU 0740



SAHCO BARU 0780



SAHCO BARU 0950



SAHCO BARU 0980

ELLE

A curled bouclé fabric, Elle drapes and curves around furniture like an elegant designer coat. The spun bouclé yarn created by blending wool, viscose and acrylic gives the surface a soft tactility. During the subsequent dying the yarns take the colour differently, creating captivating shifts within the same tones.

0280



Category	Sahco upholstery
Price Group	7
Composition	25% cotton, 20% viscose, 20% polyacrylic, 20% wool, 15% polyamide
Width	140 cm (55”)
Weight	900 g/lin. m (29.03 oz/ly)
Repeat	0/0 cm (0”/0”)
Durability	70,000 Martindale
Pilling	4-5 (ISO 1-5)
Lightfastness	6 (ISO 1-8)
Fire Tests	US Cal. Bull. 117-2013 ● BS 5852 crib 5 with treatment ● EN 1021-1/2 ● BS 5852 part 1 ● IMO FTP Code 2010 Part 8
Fastness to rubbing	4-5 (Dry) 4 (Wet)
Seam Slippage	7 mm (warp), 2 mm (weft)




ELLE 0150




ELLE 0180



ELLE 0200



ELLE 0220



ELLE 0230



ELLE 0280




ELLE 0290



ELLE 0350



ELLE 0390



ELLE 0480




ELLE 0530



ELLE 0680




ELLE 0750



ELLE 0950



Silo Poufs in Canvas 2, 0244, Elle, 0280 & Hallingdal 65, 0173



CITY VELVET

A beautiful lush velvet quality. Each color highlights the shimmering surface of the woven velour and adds a touch of soft decadence.

CA7832, 024



CA7832, 073


Manufacturer	JAB
Price Group	4
Composition	Pile: 100% polyester Groundmaterial: 100% polyester
Abrasion resistance	100.000 Martindale
Weight	440 g/m2
Lightfastness	3-5


CA7832 010


CA7832 011


CA7832 012


CA7832 013


CA7832 014


CA7832 015


CA7832 020


CA7832 021


CA7832 022


CA7832 023



CA7832 024


CA7832 025


CA7832 026


CA7832 027


CA7832 030



CA7832 031


CA7832 032


CA7832 033


CA7832 034


CA7832 035


CA7832 036


CA7832 037


CA7832 038


CA7832 039


CA7832 040



CA7832 041


CA7832 042


CA7832 043


CA7832 050


CA7832 051


CA7832 052


CA7832 053


CA7832 055


CA7832 056


CA7832 058


CA7832 060


CA7832 061


CA7832 062


CA7832 063


CA7832 064


CA7832 065


CA7832 066


CA7832 069


CA7832 070


CA7832 071


CA7832 072


CA7832 073


CA7832 074


CA7832 075


CA7832 076


CA7832 077


CA7832 078


CA7832 079


CA7832 080


CA7832 081


CA7832 082


CA7832 083


CA7832 084


CA7832 085


CA7832 086



CA7832 087



CA7832 088



CA7832 089



CA7832 090



CA7832 091



CA7832 092



CA7832 093



CA7832 094



CA7832 095



CA7832 096



CA7832 099



CA7832 126



CA7832 130



CA7832 160



CA7832 161



CA7832 162



CA7832 165



CA7832 170



CA7832 180



CA7832 181



CA7832 184



CA7832 186



CA7832 234



CA7832 263




ANTIQUE 5077

NATURE 10014


WHITE 10020




CANVAS 10021




GREY CHINE 10022



FROSTY CHINE 10025




HEATHER BEIGE 10028




HEATHER GREY 10029



SOOTY 10030




NATURE GREY 10040




DARK TAUPE 10059




CHARCOAL CHINE 10063




CARBON SKY 10064



CARBON BEIGE 10065




MASCARA 10078




BLUESTONE 10083




TONKA 10101



CHESTNUT 10102



POSEDONIA 10111




BAMBOO 10112



HEATHER CHALK 10150




LINEN CHALK 10151




GRAUMEL CHALK 10152




TAUPE CHALK 10155




SUNLIGHT 10250




SPRITZ 10254




NAXOS 10255



POMPEI 10256



COSMOS P094



AGAVE P097



RAR COLLECTION

A timeless, dark grey fabric, elegantly woven with a classic weave texture, Re-Born is primarily crafted from a recycled polyethylene and a hardwearing polyester. The sophisticated Venezia Off-White textile features a combination of slightly different off-white shades woven into each other with a tactility reminiscent of a subtle bouclé-like fabric.

RE-BORN, DARK GREY



RE-BORN DARK GREY



VENEZIA OFF-WHITE

RE-BORN

Composition	60% recycled polyethylene, 40% polyester
Durability	100.000 Martindale
Lightfastness	4-5
Pilling	4

VENEZIA

Composition	62% polyester, 17% cotton, 14% viscose, 7% linen
Durability	40.000 Martindale
Lightfastness	5
Pilling	4



Rar Sofa in Venezia Off-White & Rar Cushions 50x50 in Venezia Off-White and Re-Born Dark Grey

CONTACT

NORMANN COPENHAGEN

Niels Hemmingsens Gade 12,
1153 Copenhagen, Denmark

normann@normann-copenhagen.com
+45 35 55 44 59

normann

COPENHAGEN